

Chapter 8:

REFERENCES

Chapter 8:

References

- Aki, K. & Chouet, B. (1975). Origin of the coda waves: source, attenuation and scattering effects. *Journal of Geophysical Research*, 80, 3322–3342.
- Aki, K. (1969). Analysis of the seismic coda of local earthquakes as scattered waves. *Journal of Geophysical Research*, 74, 615–631.
- Ambraseys, N. & Bilham, R. (2000). A note on the Kangra Ms 7.8 earthquake of 4 April 1905. *Current Science*, 79, 45–50.
- Arita, K. (1983). Origin of the inverted metamorphism of the lower Himalayas, Central Nepal. *Tectonophysics*, 95, 43–60.
- Avouac, J. P. (2003). Mountain building, erosion, and the seismic cycle in the NepalHimalaya. *Advances in Geophysics*, 46, 1–80.
- Avouac, J. P. (2003). Mountain building, erosion, and the seismic cycle in the NepalHimalaya. *Advances in Geophysics*, 46, 1–80.
- Avouac, J.P. & Tapponnier, P. (1993). Kinematic model of active deformation in central Asia. *Geophysical Research Letters*, 20, 895–898.
- Banerjee, P. & Burgmann, R. (2002). Convergence across the northwest Himalaya from GPSmeasurement. *Geophysics Research Letters*, 2913, 301–304.
- Banghar, A.R. (1975). Mechanism and Solution to Kinnaur (Himachal Pradesh, India)Earthquake of January 19, 1975. Presented at VIth Seminar organized by the WadiaInstitute of Himalayan Geology, India, Preprint.
- Baud, A., M. Gaetani, E. Garzanti, E. Fois, A. N. & Tintori,A. (1984).Geological observations in southeastern Zanskar and adjacent area (north western Himalaya). *Eclogae Geologicae Helvetiae*, 77, 171–191.

- Bhargava, O.N., Ameta, S.S., Gaur, R.K., Kumar, S., Agarwal, A.N., Jalote, P.M. & Sadhu, M.L. (1978). The Kinnaur (H.P., India) earthquake of 19 January, 1975: Summary of geoseismological observations. *Bulletin of the Indian Geological Association*, 11, 39–53.
- Bianco, F., Pezzo, D.E., Castellano, M., Ibanez, J. & Luccio, F.D. (2002). Separation of intrinsic and scattering seismic attenuation in the Southern Apennine Zone, Italy. *Geophysical Journal International*, 150, 10–22.
- Bilham, R. (2001). Slow tilt reversal of the Lesser Himalaya between 1862 and 1992 at 78°E, and bounds to the southeast rupture of the 1905 Kangra earthquake. *Geophysics Journal International*, 144, 1–23.
- Bilham, R., Gaur, V.K. & Molnar, P. (2001). Himalayan seismic hazard. *Science*, 293, 1441–444.
- Bollinger, L., Avouc, J.P., Cattin, R. & Pandey, M.R. (2004). Stress buildup in the Himalaya. *Journal of Geophysical Research*, 109, 1–8.
- Bouchon, M. (1981). A simple method to calculate Green's functions for elastic layered media. *Bulletin of Seismological Society of America*, 71, 959–971.
- Brookfield, M. E. (1993). The Himalayan passive margin from Precambrian to Cretaceous times. *Sedimentary Geology*, 84, 1–35.
- Brunel, M., Chaye' d'Albissin, M.C. & Loquin, M., (1984). Determination d'un âge Cambrien des sériscarbonate's a magne'sites situé's sous le Grand Chevauchement Himalayen (Main Central Thrust–Népal oriental) par la découverte de pale'obasidiospores. *Geobios* 17, 595–602
- Brunel, M., Chaye' d'Albissin, M.C. & Loquin, M., (1985). The Cambrian age of magnesites from E. Nepal as determined through the discovery of paleobasidiospores. *Journal of the Geological Society of India*, 26, 255–260.
- Burbank, D.W., (1996). The Himalayan foreland basin, in Yin, A., & Harrison, T.M., editors, *The tectonics of Asia*: New York, Cambridge University Press, p. 205–226.
- Burchfiel, B.C., Zhileng, C., Hodges, K.V., Yuping, L., Royden, L.H., Changrong, D., & Jiene, X. (1992). The South Tibetan detachment system, Himalayan orogen: Extension contemporaneous with and parallel

- to shortening in a collisional mountain belt. Geological Society of America Special Paper, 269, 1–41.
- Burchfiel, B.C. & Royden, L. (1985). North-South extension within the convergent Himalayan Region. *Geology*, 13, 679–682.
- Burchfiel, B.C., Chen, Z., Hodges, K.V., Liu, Y., Royden, L.H., Deng, C. & Xu, J. (1992). The South Tibet Detachment System, Himalayan orogen: Extension contemporaneous with and parallel to shortening in a collisional mountain belt. Geological Society of America Special Paper, 269, 1–41.
- Burg, J., Brunel, M., Gapais, D., Chen, G. & Liu, G. (1984). Deformation of leucogranites of the Crystalline Main Central sheet in southern Tibet (China): Bulletin of the Seismological Society of America, 6, 535–542.
- Caldwell, W.B., Klemperer, S.L., Lawrence, J.F., Rai, S.S. & Ashish. (2013). Characterizing the Main Himalayan Thrust in the Garhwal Himalaya, India with receiver function CCP stacking. *Earth and Planetary Science Letters*, 367, 15–27.
- Cattin, R. & Avouac, J.P. (2000). Modeling mountain building and the seismic cycle in the Himalaya of Nepal. *Journal of Geophysical Research*, 105, 13389–13407.
- Celerier, J., Harrison, T.M., Beyssac, O., Herman, F.M., Dunlap, W.J. & Webb, A.A. (2009). The Kumaun and Garhwal Lesser Himalaya, India. Part 2: Thermal and deformation histories: Geological Society of America Bulletin, 121, 1262–1280.
- Chander, R. (1988). Interpretation of observed ground level changes due to the 1905 Kangra earthquake, northwest Himalaya. *Tectonophysics*, 149, 289–295.
- Chandra, U. (1978). Seismicity, earthquake mechanism and tectonics along the Himalayan mountain range and vicinity. *Physics of Earth and Planetary Sciences Interior*, 16, 109–131.
- Chandra, U. (1992). Seismotectonics of Himalaya. *Current Science*, 62, 40–71.
- Chatterjee, S.N. & Bhattacharya, S.N. (1992). Microearthquake surveys and seismicity in western Himalaya. *Geological Society of India*, 23, 23–44.

- Cotton, F., Campillo, M., Deschamps, A & Rastogi, B.K. (1996). Rupture history and seismotectonics of the 1991 Himalaya earthquake. *Tectonophysics*, 258, 35–51.
- Critelli, S. & Garzanti, E. (1994). Provenance of the lower Tertiary Murree redbeds (Hazara-Kashmir syntaxis, Pakistan) and initial rising of the Himalayas. *Sedimentary Geology*, 89, 265–284.
- Crosson, R.S. (1976). Crustal structure modeling of earthquake data: 1. Simultaneous least squares estimation of hypocenter and velocity parameters. *Journal of Geophysical Research* 81, 3036–3046.
- Das, S. & Scholz, K. (1982). Off fault aftershock clusters caused by shear stress increase? *Bulletin of the Seismological Society of America*, 7, 1669–1675.
- DeCelles, P.G., Gehrels, G.E., Quade, J. & Ojha, T.P. (1998a). Eocene early Miocene foreland basin development and the history of Himalayan thrusting, western and central Nepal. *Tectonics* 17, 741–765.
- DeCelles, P.G., Gehrels, G.E., Quade, J., LaReau, B. & Spurlin, M. (2000). Tectonic implications of U–Pb zircon ages of the Himalayan orogenic belt in Nepal. *Science*, 288, 497–499.
- DeCelles, P.G., Gehrels, G.E., Quade, J., Ojha, T.P., Kapp, P.A. & Upreti, B.N. (1998b). Neogene foreland basin deposits, erosional unroofing, and kinematic history of the Himalayan fold-thrust belt, Nepal. *Geological Society of America Bulletin*, 110, 2–21.
- Dey, S., Thiede, R.C., Schildgen, T.F., Wittman, H., Bookhagen, B., Scherler, D., Jain, V. & Strecker, M. R. (2016). Climate-driven sediment aggradation and incision since the late Pleistocene in the NW Himalaya, India. *Earth and Planetary Science Letters*, 449, 321–331.
- DiPietro, J.A. & Pogue, K.R. (2004). Tectonostarigraphic subdivisions of the Himalaya: A view from the west. *Tectonics*, 23, 1–20.
- Douglas, A., 1967. Joint epicenter determination, *Nature*, 215, 47–48.
- Dreger, D.S. & Helmberger, D.V. (1993). Determination of source parameters at regional distances with three-component sparse network data. *Journal of Geophysical Research*, 98, 8107–8125.

- Ellsworth, W. L. (1977). Three-dimensional structure of the crust and mantle beneath the island of Hawaii, Ph.D. Thesis, Massachusetts Institute of Technology.
- Forsyth, D.W. (1985). Subsurface loading and estimates of the flexural rigidity of continental lithosphere. *Journal of Geophysical Research*, 90, 12623–12632.
- Frank, W., Grasemann, B., Guntli, P. & Miller, C. (1995). Geological map of the Kishtwar Chamba-Kulu region (NW Himalayas India). *Jahrbuch der Geologischen Bundesanstalt*, 138, 299–308.
- Fréchet, J. (1985). Sismogene`seet doublets sismiques, *The `sed'Etat, Université Scientifique et Médicale de Grenoble*, 206 pp.
- Gaetani, M., Garzanti, E. (1991). Multicyclic history of the northern India continental margin(Northwestern Himalaya): American Association of Petroleum Geologists Bulletin, 75, 1427–1446.
- Gahlaut, V. K., Rajput, S. & Kundu, B. (2011). Low seismicity in Bhutan Himalaya and the 1897 Shillong Plateau earthquake. *Physics of Earth and Planetary Sciences Interiors*, 186, 97–102.
- Galetzka, J. (2015). Slip pulse and resonance of Kathmandu basin during the 2015Mw 7.8Gorkha earthquake, Nepal imaged with geodesy. *Science*, 349, 1091–1095.
- Gansser, A., 1964. *The Geology of the Himalayas*. Wiley Interscience, New York, 289 pp.
- Garzanti, E. (1993). Himalayan ironstones, “superplumes”, and the break-up of Gondwana. *Geology*, 21, 105–108.
- Garzanti, E., Casnedi, R. & Jadoul, F. (1986). Sedimentary evidence of a Cambro-Ordovician orogenic event in the northwestern Himalaya. *Sedimentary Geology*, 48, 237–265.
- Gaur, V.K., Chander, R., Sarkar, I., Khattri, K.N. & Sinvhal, H. (1985). Seismicity and state of stress from investigations of local earthquakes in the Kumaun Himalaya. *Tectonophysics*, 118, 243–251.
- Geiger, L. (1912). Probability method for the determination of earthquake epicenters from the arrival time only, *Bulletin. St. Louis University*, 8, 60–71.

- Ghosh, G.K. & Mahajan, A.K. (2013). Intensity attenuation relation at Chamba-Garhwal area in north-west Himalaya with epicentral distance and magnitude. *Journal of Earth System Science*, 122, 107–122.
- Gomberg, J. S., Shedlock, K. M. & Roecker, S. W. (1990). The effect of S-wave arrival times on the accuracy of hypocenter estimation. *Bulletin of Seismological Society of America* 80, 1605–1628.
- Got, J.L., Frechet, J. & Klein, F.W. (1994). Deep fault plane geometry inferred from multiplet relative location beneath the south flank of Kilauea. *Journal of Geophysical Research* 99, 15375- 15386.
- GTOPO, 1997; <http://edc.usgs.gov/products/elevation/gtopo30/gtopo30.html>
- Gupta, D.K., Bhowmick, D. & Roy, P.N.S. (2015). Himalayan hazard study on the basis of stress and strain state of 1991 Uttarkashi earthquake using Coulomb stress transfer model. *Geomatics, Natural Hazards and Risk*, 6, 131-148.
- Gupta, S.C., Singh, V.N. & Kumar, A. (1995). Attenuation of coda waves in the Garhwal Himalaya, India. *Physics of Earth and Planetary Sciences Interior*, 87, 247–253.
- Gupta, V.J. and Virdi, N.S., 1975. Geological aspects of the Kinnaur Earthquake, Himachal Pradesh. *Geological Society of India*, 16, 512–514.
- Gutenberg, B. & Richter C.F. (1954). *Seismicity of the Earth*, second ed., Princeton Press.
- Hamilton, R.B. (1972). Aftershocks of the Borrego mountain earthquake from April 12 to June 12, 1968, in The Borrego mountain earthquake of April 9, 1968. *US Geological Survey Professional Paper*, 787, 31–54.
- Harris, R.A. (1998). Introduction to special section: Stress triggers, stress shadows, and implications for seismic hazard. *Journal of Geophysical Research*, 103, 347–324.
- Harrison, T.M., Copeland, P., Kidd, W.S.F. & Yin, A. (1992). Raising Tibet. *Science*, 255, 1663–1670.
- Havskov, J. & Ottemoller, L. (1999). Seisan earthquake analysis software. *Seismological Research Letters*, 70, 532–534.

- Hayden, H.H. (1904). The geology of Spiti with parts of Bushahr and Rupshu: Memoirs of the Geological Survey of India, v. 6, pp. 1–121.
- Hayden, H.H. (1904). The geology of Spiti. Memoir Geological Survey of India, 36, 1-129.
- Hazarika, D., Kumar, N. & Yadav, D.K. (2013). Crustal Thickness and Poisson's Ratio Variations across the Northwest Himalaya and Eastern Ladakh. *Acta Geophysica*, 61, 905-922.
- Heim, A. & Gansser, A. (1939) Central Himalayas—Geological observations of the Swiss Expedition of 1936.
- Hintersberger, E., Thiede, R.C., Strecker, M.R. & Hacker, B.R. (2010). East-west extension in the NW Indian Himalaya. *Geological Society of America Bulletin*, 122, 1499–1515.
- Hodges, K.V., Hurtado, J.M. & Whipple, K.X. (2001). Southward extrusion of Tibetan crust and its effect on Himalayan tectonics. *Tectonics*, 20, 799–809.
- Honegger, K., Dietrich, V., Frank, W., Gansser, A., Thöni, M. & Trommsdorff, V., 1982, Magmatism and metamorphism in the Ladakh Himalayas (the Indus–Tsangpo suture zone). *Earth and Planetary Science Letters*, 60, 253–292.
- Hubbard, M.S. & Harrison, T.M. (1989). $^{40}\text{Ar}/^{39}\text{Ar}$ age constraints on deformation and metamorphism in the Main Central Thrust zone and Tibetan Slab, eastern Nepal Himalaya. *Tectonics*, 8, 865–880.
- Hurtado, J.M., Hodges, K.V. & Whipple, K.X. (2001). Neotectonics of the Thakkola graben and implications for recent activity on the South Tibetan fault system in the central Nepal Himalaya: *Geological Society of America Bulletin*, 113, 222–240.
- Hurukawa, N. & Imoto, M. (1992). Subducting oceanic crusts of the Philippine Sea and Pacific plates and weak-zone-normal compression in the Kanto district, Japan. *Geophysical Journal International*, 109, 639–652.
- Huyghe, P., Galy, A., Mugnier, J.L., & France-Lanord, C. (2001). Propagation of the thrust system and erosion in the Lesser Himalaya: Geochemical and sedimentological evidence. *Geology*, 29, 1007–1010.

- International Seismological Centre, EHB Bulletin, <http://www.isc.ac.uk>, Internat'l. Seis. Cent., Thatcham, United Kingdom, 2009.
- Jade, S., Raghavendra Rao, H.J., Vijayan, M.S.M., Gaur, V.K., Bhatt, B.C., Kumar, K., Saigeetha, Jaganathan, Ananda, M.B., Dileep & Kumar, P., 2011, GPS-derived deformation rates in northwestern Himalaya and Ladakh. International Journal of Earth Sciences, 100, 1293–1301.
- Jain, A. K. & Chander, R. (1991). Geodynamic models for the Uttarkashi earthquake of October 20, 1991. Memoir GSI, 30, 225–233.
- Jin, A. & Aki, K. (1988). Spatial and Temporal Correlation between Coda Q and Seismicity in China. Bulletin of the Seismological Society of America, 78, 741–769.
- Johnson, M.R.W. (1994). Culminations and domal uplifts in the Himalaya. Tectonophysics, 239, 139–147.
- Joshi, M., Kothiyari, G.C., Ahluvalia, A. & Pant, P.D. (2010). Neotectonic Evidences of Rejuvenation in Kaurik-Chango Fault Zone, Northwestern Himalaya. Journal of Geographic Information System, 2, 169–176.
- Kamble, V.P., Verma, R.K., Choudhury, H.M. (1974). Crustal structure in Dalhousie- Mandi section of the Himalayan foothills. Part I. Indian Journal of Meteorological Geophysics, 25, 229–236.
- Kanamori, H. (1983). Magnitude scale and quantification of earthquakes. Tectonophysics, 93, 185–199.
- Kayal, J.R., Ram, S., Singh, O.P., Chakraborty, P.K. & Karunakar, G. (2003). Aftershocks of the March 1999 Chamoli earthquake and seismotectonic structure of the Garhwal Himalaya. Bulletin of the Seismological Society of America, 93, 109–117.
- Khattri, K.N., Chander, R., Gaur, V.K., Sarkar, I. & Kumar, S. (1989). New seismological results on the tectonics of the Garhwal Himalaya. Proceeding of Indian Academy Science, 98, 91–109.
- Khattri, K.N., Rai, K., Jain, A.K., Sinvhal, H., Gaur, V.K. & Mithal, V.K. (1978). The Kinnaur earthquake Himachal Pradesh India of 19 January 1975. Tectonophysics, 49, 1–21.
- Kikuchi, M. & Kanamori, H. (1991). Inversion of complex body waves; III. Bulletin of Seismological Society of America 81, 2335–2350.

- King, G.C.P., Stein, R.S. & Lin, J. (1994). Static stress change and the triggering of earthquake. *Bulletin of the Seismological Society of America*, 84, 935–953.
- Kissling, E. (1988). Geotomography with local earthquake data. *Review of Geophysics* 26, 659–698.
- Kissling, E. (1995). Program VELEST User's Guide—Short Introduction (second draft version). Institute of Geophysics and Swiss Seismological Service, ETH-Hoenggerberg, Zurich, Switzerland, 1–26.
- Kissling, E., Ellsworth, W. L., Eberhart-Phillips, D. & Kradolfer, U. (1994). Initialreference models in local earthquake tomography. *Journal of Geophysical Research*, 99, 19635–19646.
- Kumar, N., Arora, B.R., Mukhopadhyay, S., Yadav, D.K. (2013). Seismogenesis of clustered seismicity beneath the Kangra–Chamba sector of northwest Himalaya: constraints from 3D local earthquake tomography. *Journal of Asian Earth Sciences*, 62, 638–646.
- Kumar, N., Sharma, J., Arora, B.R. & Mukhopadhyay, S. (2009). Seismotectonics model of the Kangra–Chamba sector of Northwestern Himalaya: constraints from joint hypocenter determination and focal mechanism. *Bulletin of Seismological Society of America*, 99, 95–109.
- Kumar, S. & Mahajan, A. K. (1991). Dharamsala Seismotectonic zone- Neotectonic and state of stress in the area. *Journal of Himalayan Geology*, 2, 53–57.
- Kumar, S. & Mahajan, A.K. (2001). Seismotectonics of Kangra region, Northwest Himalaya. *Tectonophysics*, 331, 359–371.
- Kumar, S., Wesnousky, S. G., Jayangondaperumal, R., Nakata, T., Kumahara, Y. & Singh, V. (2010). Paleoseismological evidence of surface faulting along the northeastern Himalayanfront, India: timing, size, and spatial extent of great earthquakes. *Journal of GeophysicalResearch*, 115, 1–20.
- Kumar, S., Wesnousky, S. G., Rockwell, T. K., Briggs, R. W., Thakur, V.C. & Jayangondaperumal, R., 2006. Paleoseismic evidence of great surface rupture earthquakesalong the Indian Himalaya. *Journal of Geophysical Research*, 111, 1–19.

- Kumar, S., Wesnousky, W.G., Rockwell, T.K., Ragona, D., Thakur, V.C. & Seitz, G.G. (2001) Earthquake recurrence and rupture dynamics of Himalayan Frontal Thrust, India. *Science*, 294, 2328–2331.
- Lave', J., Yule, D., Sapkota, S., Basant, K., Madden, C., Attal, M. & Pandey, M.R. (2005). Evidence for a Great Medieval Earthquake 1100 A.D.) In the Central Himalayas, Nepal. *Science*, 307, 1302–1305.
- Le Fort, M., Freytet, P. & Colchen, M. (1982). Structural and sedimentological evolution of the Thakkhola-Mustang graben (Nepal Himalayas). *Zeitschrift für Geomorphologie*, 42, 75–98.
- Le Fort, P. (1996). Evolution of the Himalaya". In Yin, A.; Harrison, T. M. *Tectonic Evolution of Asia*. New York: Cambridge University Press. pp. 95–109.
- Lee, W. H. K. & Lahr, J. C. (1975). HYP071 (revised): A computer program for the determining hypocenter, magnitude, and first motion pattern of local earthquakes, U. S. Geological Survey Open File Report, 75–311.
- LeFort, P. (1975). Himalaya: the collided range. Present knowledge of the continental arc. *American Journal of Science*, 275, 1–44.
- Liu, G. & Einsele, G. (1994). Sedimentary history of the Tethyan basin in the Tibetan Himalayas. *Geologische Rundschau* 82, 32–61.
- Liu, G. & Einsele, G. (1999). Jurassic sedimentary facies and paleogeography of the former Indian passive margin in southern Tibet. In: Macfarlane, A., Sorkhabi, R.B., Quade, J. (Eds.), *Himalaya and Tibet: Mountain Roots to Mountain Tops*. Geological Society of America Special Papers, 328, 75–108.
- Lowry, A.R. & Smith, R.B. (1994). Flexural rigidity of the Basin and Range–Colorado Plateau–Rocky Mountain transition from the coherence analysis of gravity and topography. *Journal of Geophysical Research*, 99, 123–140.
- Lyon-Caen, H. & Molnar, P. (1983). Constraints on the structure of the Himalaya from an analysis of gravity anomalies and a flexural model of the lithosphere. *Journal of Geophysical Research*, 88, 8171–8191.

- Mahajan, A.K. & Kumar, S. (1994). Linear features registered on the Landsat imagery and seismic-activity in Dharamsala-Palampur region (NW Himalaya). *GEOFIZIKA*, II, 15–25.
- Mahesh, P., Rai, S.S., Sivaram, K., Paul, A., Gupta, S., Sarma, R. & Gaur, V.K. (2013). Onedimensional reference velocity model and precise locations of earthquake hypocenters in the Central (Kumaon-Garhwal) Himalaya. *Bulletin of Seismological Society of America*, 103, 328–339.
- Mathur, L.P. (1953). Assam earthquake of 15th August 1950—a short note on factual observations. In: Ramachandra Rao, M.B. (compiled), *A Compilation of Papers on the Assam Earthquake of August 15, 1950*. Government of India.
- McCaffrey, R., Abers, G. & Zwick, P. (1991). Inversion of Teleseismic Body Waves, IASPEI software Library, 3, Chapter 3.
- McKenzie, D.P. & Fairhead, J.D. (1997). Estimates of the effective elastic thickness of the continental lithosphere from Bouguer and free air gravity anomalies. *Journal of Geophysical Research*, 102, 27523–27552.
- Michael, A. J. (1988). Effects of three-dimensional velocity structure on the seismicity of the 1984 Morgan Hill, California, aftershock sequence. *Bulletin of Seismological Society of America*, 78, 1199–1221.
- Middlemiss, C.S. (1910). The Kangra earthquake of 4th April 1905. *Memoirs of the Geological Survey of India*, 38.
- Mitchell, B. J. (1981). Regional variation and frequency dependence of Q in the crust of the United States. *Bulletin of the Seismological Society of America*, 71, 1531–1538.
- Molnar, P. & Chen, W.P. (1983). Focal depths and fault plane solutions of earthquakes under the Tibetan Plateau. *Journal of Geophysical Research*, 88, 1180–1196.
- Molnar, P. & Lyon-Caen, H. (1989). Fault-plane solutions of earthquakes and active tectonics of the Tibetan Plateau and its margins: *Geophysical Journal International*, 99, 123–153.
- Molnar, P. & Tapponnier, P. (1975). Cenozoic tectonics of Asia; effects of a continental collision. *Science*, 189, 419–26.

- Molnar, P. (1990). A review of the seismicity and the rates of active underthrusting and deformation at the Himalaya. *Journal of Himalayan Geology*, 1, 131–154.
- Monsalve, G., Sheehan, A., Rowe, C. & Rajaure, S. (2008). Seismic structure of the crust and the upper mantle beneath the Himalayas: evidence for eclogitization of lower crustal rocks in the Indian Plate. *Journal of Geophysical Research*, 113, 8315–8330.
- Mukhopadhyay, S. & Tyagi, C. (2007). Lapse time and frequency-dependent attenuation characteristics of coda waves in the North Western Himalayas. *Journal of Seismology*, 11, 149–158.
- Mukhopadhyay, S. & Sharma, J. (2010). Crustal scale detachment in the Himalayas: a reappraisal. *Geophysical Journal International*, 183, 850–860.
- Ni, J. and Barazangi, M. (1984). Seismotectonics of the Himalayan Collision zone: geometry of underthrusting Indian Plate beneath the Himalaya. *Journal of Geophysical Research*, 89, 1143–1147.
- Paige, C. C. & Saunders, M. A. (1982). LSQR: Sparse linear equations and least squares problems, *ACM Transactions on Mathematical Software*, 8/2, 195–209.
- Pandey, M., Tandukar, R., Avouac, J., Vergne, J. & Héritier, T. (1999). Seismotectonics of the Nepal Himalaya from a local seismic network: *Journal of Asian Earth Sciences*, 17, 703–712.
- Pandey, M., Tandukar, R., Avouac, J., Vergne, J. & Héritier, T. (1999). Seismotectonics of the Nepal Himalaya from a local seismic network: *Journal of Asian Earth Sciences*, 17, 703–712.
- Panza, G. F., Saraò, A. (2000). Monitoring volcanic and geothermal areas by full seismic moment tensor inversion: are non-double-couple components always artefacts of modelling? *Geophysical Journal International*, 143, 353–364.
- Parsons, T., Stein, R.S., Simpson, R.W. & Reasenberg, P.A. (1999). Stress sensitivity of fault seismicity: A comparison between limited-offset oblique and major strike-slip faults. *Journal of Geophysical Research*, 104, 20183–20202.

- Pavlis, G. L. (1986). Appraising earthquake hypocenter location errors: a complete, practical approach for single-event locations, *Bulletin of Seismological Society of America* 76, 1699–1717.
- Pavlis, N.K., Holmes, S. A., Kenyon, S.C. & Factor, J.K. (2008). An earth gravitational model to degree 2160:EGM2008, European Geological Union, April 2008.
- Pezzo, D.E., Ibanez, J., Morales, J., Akinci, A. & Maresca, R. (1995). Measurements of intrinsic and scattering seismic attenuation in the crust. *Bulletin of the Seismological Society of America*, 85, 1373–1380.
- Poddar, S.M.C. (1953). A short note on the Assam earthquake of August 15, 1950. In: Ramachandra Rao, M.B. (compiled), *A Compilation of Papers on the Assam Earthquake of August 15, 1950*. Government of India.
- Powers, P.M., Lillie, R.J. & Yeats, R.S. (1998). Structure and shortening of the Kangra and Dehra Dun re-entrants, Sub-Himalaya, India. *Geological Society of America Bulletin*, 110, 1010–1027.
- Priestley, K., Jackson, J. & McKenzie, D. (2008). Lithospheric structure and deep earthquakes beneath India, the Himalaya and southern Tibet. *Geophysical Journal International*, 172, 345–362.
- Pujol, J. (1988). Comments on the joint determination of hypocenters and station corrections. *Bulletin of Seismological Society of America*, 78, 1179–1189.
- Rajput, S., Gahalaut, V.K., Sahu, V.K. (2005). Coulomb stress changes and aftershocks of recent Indian earthquakes. *Current Science*, 108, 576–588.
- Rautela, P. & Thakur, V.C. (1992). Structural analysis of the Punjal Thrust Zone, Himachal Himalaya, India. *Journal of Himalayan Geology*, 3, 195–207.
- Robert, X., Beek, P.V., Braun, J., Perry, C. & Mugnier, J.L. (2011). Control of detachment geometry on lateral variations in exhumation rates in the Himalaya: Insights from low- temperature thermochronology and numerical modeling. *Journal of Geophysical Research*, 116, 1978–2012.
- Roecker, S.W. (1981) Seismicity and tectonics of the Pamir-Hindu Kush region of central Asia, Ph.D. thesis, Massachusetts Institute of Technology.

- Rybicki, K. (1973). Analysis of aftershocks on the basis of dislocation theory. *Physics of Earth and Planetary Sciences Interior*, 7, 409–422.
- Sapkota, S. N., Bollinger, L., Klinger, Y., Tapponnier, P., Gaudemer, Y. & Tiwari, D. (2013). Primary surface ruptures of the great Himalayan earthquakes in 1934 and 1255. *Nature Geoscience*, 6, 71–76.
- Schelling, D. & Arita, A. (1991). Thrust tectonics, crustal shortening and the structure of the fareastern Nepal Himalayas. *Tectonics*, 10, 851–862.
- Seeber, L., Armbruster, J. (1981). Great detachment earthquakes along the Himalayan Arc and long-term forecasting. In: D.W. Simpson and P.G. Richards editors, *Earthquake Prediction: An International Review*, Maurice Ewing Series, American Geophysical Union. 4, 259–277.
- Sharma M.L. & Lindholm, C. (2011). Earthquake hazard assessment for Dehradun, Uttarakhand, India, including a characteristic earthquake recurrence model for the Himalaya Frontal Fault (HFF). *Pure and Applied Geophysics*, 169, 1601–1617.
- Sharma, M.L. & Wason, H.R. (1994). Occurrence of low stress drop earthquakes in the Garhwal Himalaya region. *Physics of Earth and Planetary Science Interiors*, 85, 265–272.
- Shearer, P. (1997). Improving local earthquake locations using the L1 norm and waveform cross correlation: application to the Whittier Narrows, California, aftershock sequence. *Journal of Geophysical Research*, 102, 8269–8283.
- Singh, C., Singh, A., Bharathi, V.K. Srinivasa, Bansal, A.R. & Chadda, R.K. (2012). Frequency dependent body wave attenuation characteristics in the Kumaun Himalaya. *Tectonophysics*, 524, 37–42.
- Singh, K. (1994). Structural framework of the Chamba thrust sheet, Himachal Himalaya, India. *Journal of Geoscience*, 15, 85–92.
- Singh, S., Sinha, P., Jain, A.K., Singh, V.N. & Srivastava, L.S. (1975). Preliminary report on the January 19, 1975 Kinnaur earthquake in Himachal Pradesh. *Earthquake Engineering Study*, 75 (4): 32 pp.
- Smith, S.W. & Van de Lindt, W. (1969). Strain adjustments associated with earthquakes in southern California. *Bulletin of the Seismological Society of America*, 59, 1569–1589.

- Sokos, E., Zahradnik, J. (2007). ISOLA-A Fortran code and a Matlab GUI to perform multiple-point source inversion of seismic data. *Computer Geoscience*, 34, 967–977.
- Srivastva, H.N., Dube, R.K. & Raj, H. (1986). Space and time variation in seismicity patterns preceding two earthquakes in the Himachal Pradesh, India. *Tectonophysics*, 138, 69–77.
- Srivastva, H.N., Verma, M., Bansal, B.K. & Sutar, A.K. (2015). Discriminatory characteristics of seismic gaps in Himalaya, *Geomatics, Natural Hazards and Risk*, 6, 224–242.
- Steck, A., Epard, J.L., Vannay, J.C., Hunziker, J., Girard, M., Morard, A. & Robyr, M. (1998) Geological transect across the Tso Morari and Spiti areas: The nappe structures of the Tethys Himalaya. *Eclogae Geologicae Helvetiae*, 91, 103–121.
- Steck, A., Spring, L., Vannay, J.C., Masson, H., Stutz, E., Bucher, H., Marchant, R. & Tieche, J.C. (1993). Geological transect across the northwestern Himalaya in eastern Ladakh and Lahul. *Eclogae Geologicae Helvetiae*, 86, 219–263.
- Stein, R.S. (1999). The role of stress transfer in earthquake occurrence. *Nature*, 402, 605–609.
- Stein, R.S., Barka, A.A. & Dieterich, J.H., (1997). Progressive failure on the North Anatolian fault since 1939 by earthquake stress triggering. *Geophysics Journal International*, 128, 594–604.
- Stevens, V., Avouc, J.P. (2015). Interseismic coupling on the main Himalayan thrust. *Geophysical Research Letters*, 42, 5828–5837.
- Swain, C., & Kirby, J.F. (2003). The effect of ‘noise’ on estimates of elastic thickness of the continental lithosphere by the coherence method. *Geophysical Research Letters*, 30, 1574.
- Templeton, D.C., Dreger, D.S. (2006). Non-double-couple earthquakes in the Long Valley volcanic region. *Bulletin of the Seismological Society of America*, 96, 69–79.
- Thakur, V.C. (1998). Structure of the Chamba nappe and position of the main central thrust in Kashmir Himalaya. *Journal of Asian Earth Sciences*, 16, 269–282.

- Thakur, V.C., Rautella, P. & Jaffaruddin, M. (1995). Normal faults in Panjal thrust zone in lesser Himalaya and between Higher Himalayan Crystallines and Chamba sequence in Kashmir Himalaya, India. *Proceedings of Indian Academy of Sciences*, 104, 499–508.
- Thorne, M.S. (2005). Broadband waveform modelling of deepmantle structure. Ph.D. Dissertation, Arizona State University, United States, 283pp.
- Thurber, C.H. (1983). Earthquake locations and three-dimensional crustal structure in the Coyote Lake area, central California. *Journal of Geophysical Research*, 88, 8226–8236.
- Tiwari, V.M., Rajasekhar, R.P. & Mishra, D.C. (2009). Gravity anomaly, lithospheric structure and seismicity of Western Himalayan Syntaxis. *Journal of Seismology*, 13, 363–370.
- Tiwari, V.M., Singh, B., Arora, K., & Kumar, S. (2010). The potential of satellite gravity and gravity gradiometry in deciphering structural setting of Himalayan Collision zone. *Current Science*, 99, 1795–1800.
- Toda, S., Stein, R.S., Lin, J. & Sevilgen, V. (2007). Coulomb 3.1 Software: USGS Stress Triggering Group.
- Toda, S., Stein, R. S., Sevilgen, V. & Lin, J. (2011). Coulomb 3.3 Graphic-rich deformation and stress change software for earthquake, tectonic, and volcano research and teaching—user guide: U.S. Geological Survey Open-File Report 2011-1060, 63 p.
- Tom, P., Gerry, C. & Rowland, F. (2009). GM-SYS Profile Modeling, Gravity and Magnetic Modeling Software for Oasis MontajTM, User Guide,
- Tripathi, J.N., Singh, P. & Sharma, M.L. (2014). Attenuation of high-frequency P and S waves in Garhwal Himalaya, India. *Tectonophysics*, 636, 216–227.
- Tripathi, J.N., Singh, P. & Sharma, M.L. (2012). Variations of seismic coda wave attenuation in the Garhwal region, Northwestern Himalaya. *Pure and Applied Geophysics*, 169, 71–88.
- Tselentis, G. (1998). Intrinsic and scattering seismic attenuation W. Greece. *Pure and Applied Geophysics*, 153, 703–712.

- Upreti, B.N. (1999). An overview of the stratigraphy and tectonics of the Nepal Himalaya. *Journal of Asian Earth Sciences*, 17, 577– 606.
- Valdiya, K.S. (1980). Geology of Kumaun Lesser Himalaya. Wadia Institute of Himalayan Geology. pp. 291.
- Vannay, J.C. & Grasemann, B. (1998). Inverted metamorphism in the High Himalaya of Himachal Pradesh (NW India): Phase equilibria versus thermobarometry. *Schweiz. Mineral. Petrogr. Mitt.* 78, 107 – 132.
- Vannay, J.C., Grasemann, B., Rahn, M., Frank, W., Carter, A., Baudraz, V. & Cosca, M. (2004) Miocene to Holocene exhumation of crustal wedges in the NW Himalaya: Evidence for tectonic extrusion coupled to fluvial erosion. *Tectonics*, 23, pp. TC1014.
- Vavryčuk, V. (2002). Non-double-couple earthquakes of 1997 January in West Bohemia, Czech Republic: evidence of tensile faulting. *Geophysical Journal International*, 149, 364–373.
- Verma, M., Sutar, A.K., Bansal, B.K., Arora, B.R. & Bhat, G.M. (2015). MW 4.9 earthquake of 21 August, 2014 in Kangra region, Northwest Himalaya: Seismotectonics implications. *Journal of Asian Earth Sciences*, 109, 29 – 37.
- Waldhauser, F. & Ellsworth W. L. (2000). A double difference earthquake location algorithm: Method and application to the northern Hayward fault, California. *Bulletin of the Seismological Society of America*, 90, 1353–1368.
- Wallace, K., Bilham, R., Blume, F., Gaur, V.K. & Gahalaut, V. (2005) Surface deformation in the region of the 1905 Kangra Mw = 7.8 earthquake in the period 1846–2001. *Geophysical Research Letters*, 32, 1-5.
- Watts, A.B. (2001). Isostasy and flexure of the lithosphere. Cambridge University Press, 1-458.
- Wells, D. L. & Coppersmith, K. J. (1994). New empirical relationship among magnitude, rupture length, rupture width, rupture area, and surface displacement. *Bulletin of the Seismological Society of America*, 84, 974-1002.

- Wesnousky, S.G., Kumar, S., Mohindra, R. & Thakur, V. C. (1999). Uplift and convergence along the Himalayan Frontal Thrust of India. *Tectonics*, 18, 967–976.
- Wu, C., Nelson, K., Wortman, G., Samson, S., Yue, Y., Li, J., Kidd, W. & Edwards, M., 1998, Yadong cross structure& South Tibetan detachment in the east central Himalaya (89–90°E). *Tectonics*, 17, 28–45.
- Yadav, D.K., Kumar, N. & Paul, A. (2009). Recent seismicity and stress pattern in NW Himalaya. *Journal of Himalayan Geology*, 30, 139–145.
- Yamashina, K. (1978). Induced earthquakes in the Izu Peninsula by the Izu-Hanto-Oki earthquake of 1974, Japan. *Tectonophysics*, 51, 139–154.
- Yin, A. (2006). Cenozoic tectonic evolution of the Himalayan orogen as constrained by along-strike variation of structural geometry, exhumation history, and foreland sedimentation. *Earth Science Reviews*, 76, 1–131.
- Zahradník, J. & Plesinger, A. (2005). Long-period pulses in broadband records of near earthquakes. *Bulletin of the Seismological Society of America*, 95, 1928–1939.
- Zahradník, J., Serpentsidaki, A., Sokos, E. & Tselentis, G.A. (2005). Iterative deconvolution of regional waveforms and a double event interpretation of the 2003 Lefkada earthquake, Greece. *Bulletin of the Seismological Society of America*, 95, 159–172.
- Zhang, Q., Wang, C. & Zhang, P. (2001). Earthquake triggering and delaying caused by fault interaction. *Proceedings of 2000 Chinese Postdoctor Academic Conference*, 354–359 p.
- Zhao, W., Nelson, K.D. & the Project INDEPTH Team, 1993. Deep seismic reflection evidence for continental underthrusting beneath southern Tibet. *Nature* 366, 557– 559.